## **IN THE CLAIMS:**

- 1. (Currently Amended) A method of manufacturing a purified product of a liquid medium-chain alkyl-modified polydimethylsiloxane comprising the steps of:
- [A] synthesizing a liquid medium-chain alkyl-modified polydimethylsiloxane represented by general formula (2), given below, by carrying out a hydrosilylation reaction between a hydrosilyl-containing polydimethylsiloxane of general formula (1) and an  $\alpha$ -olefin with 4 to 18 carbon atoms; and
- [B] subjecting a crude product of the liquid medium-chain alkyl-modified polydimethylsiloxane obtained in preceding step [A] to an odor-removing treatment by conducting a hydrogenation reaction which is carried out in the presence of a hydrogenation catalyst:

## General Formula (1)

[[(]]where R<sup>1</sup> represents a hydrogen atom or a methyl group; "m" is an integer from 0 to 6; and "n" is an integer from 0 to 3; however, when "n" is 0, then at least one R<sup>1</sup> represents a hydrogen atom,[[).]]

- 3 -

## General Formula (2)

H&H No.: 71,051-067

[[(]]where  $R^2$  represents an alkyl group with 4 to 18 carbon atoms;  $R^3$  are groups represented by  $R^2$  above or a methyl group; and "m" and "n" are the same numbers as defined above for general formula (1); however, when "n" is 0, at least one  $R^3$  is the same group as defined for  $R^2[[)]$ ].

2. (Currently Amended) The method of manufacturing a purified product of a liquid medium-chain alkyl-modified polydimethylsiloxane according to Claim 1, wherein in step [A] a liquid medium-chain alkyl-modified polydimethylsiloxane of general formula (3), given-below, is synthesized by conducting a hydrosilylation reaction between 1,1,1,3,5,5,5-heptamethyltrisiloxane and an  $\alpha$ -olefin having 4 to 18 carbon atoms: General Formula (3)

$$CH_3$$
  $CH_3$   $CH_3$ 

[where  $R^2$  is the same as defined above for general formula (2)].

3. (Currently Amended) The method of manufacturing a purified product of a liquid medium-chain alkyl-modified polydimethylsiloxane according to Claim 1 or Claim 2, further comprising a step of stripping a crude product of the liquid medium-chain alkyl-modified polydimethylsiloxane and/or a product of hydrogenation from light substances prior to and/or after step [B] by bringing [[said]] the crude product of the liquid medium-chain alkyl-modified polydimethylsiloxane and/or a product of hydrogenation in contact with gaseous nitrogen under conditions of reduced pressure.

H&H No.: 71,051-067 - 4 -

4. (Currently Amended) A cosmetic material that contains a purified product of the liquid medium-chain alkyl-modified polydimethylsiloxane produced by the method according to any of Claims from 1 to 3 Claim 1.

5. (Currently Amended) A cosmetic material prepared from a water-in-oil emulsion having an oiling agent in the form of a purified product of the liquid medium-chain alkyl-modified polydimethylsiloxane produced by the method according to any—of Claims from 1-to 3 Claim 1.

6. (Currently Amended) A cosmetic material prepared from a water-in-oil emulsion comprising: (a) 0.1 to 95 mass % of an oiling agent which is the liquid medium-chain alkyl-modified polydimethylsiloxane obtained by the method according to any of Claims 1 to 3 Claim 1; (b) 0.1 to 25 mass % of a surface-active agent with the value of HLB equal to or below 7; and (c) 4.9 to 95 mass % of water.

Please add the following new claims.

7. (New) The method of manufacturing a purified product of a liquid medium-chain alkyl-modified polydimethylsiloxane according to Claim 1, further comprising a step of stripping a crude product of the liquid medium-chain alkyl-modified polydimethylsiloxane and/or a product of hydrogenation from light substances prior to and/or after step [B] by bringing the crude product of the liquid medium-chain alkyl-

H&H No.: 71,051-067 - 5 -

modified polydimethylsiloxane and/or a product of hydrogenation in contact with gaseous nitrogen under conditions of reduced pressure.

- 8. (New) A cosmetic material that contains a purified product of the liquid mediumchain alkyl-modified polydimethylsiloxane produced by the method according to Claim 2.
- 9. (New) A cosmetic material that contains a purified product of the liquid mediumchain alkyl-modified polydimethylsiloxane produced by the method according to Claim 3.
- 10. (New) A cosmetic material that contains a purified product of the liquid mediumchain alkyl-modified polydimethylsiloxane produced by the method according to Claim 7.
- 11. (New) A cosmetic material prepared from a water-in-oil emulsion having an oiling agent in the form of a purified product of the liquid medium-chain alkyl-modified polydimethylsiloxane produced by the method according to Claim 2.
- 12. (New) A cosmetic material prepared from a water-in-oil emulsion having an oiling agent in the form of a purified product of the liquid medium-chain alkyl-modified polydimethylsiloxane produced by the method according to Claim 3.

H&H No.: 71,051-067 - 6 -

13. (New) A cosmetic material prepared from a water-in-oil emulsion having an oiling agent in the form of a purified product of the liquid medium-chain alkyl-modified polydimethylsiloxane produced by the method according to Claim 7.

14. (New) A cosmetic material prepared from a water-in-oil emulsion comprising: (a) 0.1 to 95 mass % of an oiling agent which is the liquid medium-chain alkyl-modified polydimethylsiloxane obtained by the method according to Claim 2; (b) 0.1 to 25 mass % of a surface-active agent with the value of HLB equal to or below 7; and (c) 4.9 to 95 mass % of water.

15. (New) A cosmetic material prepared from a water-in-oil emulsion comprising: (a) 0.1 to 95 mass % of an oiling agent which is the liquid medium-chain alkyl-modified polydimethylsiloxane obtained by the method according to Claim 3; (b) 0.1 to 25 mass % of a surface-active agent with the value of HLB equal to or below 7; and (c) 4.9 to 95 mass % of water.

16. (New) A cosmetic material prepared from a water-in-oil emulsion comprising: (a) 0.1 to 95 mass % of an oiling agent which is the liquid medium-chain alkyl-modified polydimethylsiloxane obtained by the method according to Claim 7; (b) 0.1 to 25 mass % of a surface-active agent with the value of HLB equal to or below 7; and (c) 4.9 to 95 mass % of water.

H&H No.: 71,051-067 - 7 -